CACHFIRES

TOPEKA WHITE - POWDER COATED STEEL BIOFIREPLACE

BIO-20-216

The ScandiFlames Topeka White is an elegant, freestanding bioethanol fireplace with a 2.5-liter fuel tank and a burn time of up to 7.5 hours per filling. Measuring H: $90 \text{ cm} \times \text{W}$: $100 \text{ cm} \times \text{D}$: 35 cm, this impressive fireplace can be placed on the floor or built into an end wall. Its wide frame and large cutout provide an wide view of the flames, shielded by three safety glass panels. The design fits perfectly into modern homes, creating a cozy atmosphere. Maintenance is easy, as bioethanol fireplaces do not produce smoke.

TECHNICAL SPECIFICATIONS

Burner

Minimum room size	60 m³
Requires electricity	No
Burn time	7.5 hours
Adjustable flame	Yes
Control	Manual
Heat output (max)	2,4 kW
Capacity	2.5 Litres
Flue/chimney	Not Required
Remote control	No
Recommended air change rate	1
Burner type	2.5 Litre Superior
Flame length	32 cm
Fuel	Bioethanol
Usage	0.33 L/h



Key Specifications

Producttype	3-sided Built-in Bioethanol Fireplace
Producttype	Freestanding Bioethanol Fireplace
Brand	ScandiFlames
Use	Indoor
Warranty	2 years

Size

Length/Width	100 cm
Height	90 cm
Depth	35 cm
Weight	37 kg

Material and Appearance

Material	Steel
Colour	White
Glas included	Yes





