

# CACHFIRES

## FOCO FOUR 1200

BIO-30-118

Foco Four 1200 is an elegant 4-sided bioethanol fireplace designed for built-in installation, offering a view of the flames from all sides. This fireplace is perfect for creating a central visual feature in the room, especially under a plateau or floating wall where a TV can be mounted. Choose a manual or automatic bioethanol burner, offering adjustable flame levels and remote control. Made from 4 mm powder-coated stainless steel with tempered glass, Foco Four ensures a stable and safe flame experience.

### TECHNICAL SPECIFICATIONS

#### Burner - Features

|                    |                  |
|--------------------|------------------|
| Minimum room size  | 90 m³            |
| Adjustable flame   | Yes              |
| Control            | Remote Control   |
| Control            | Automatic        |
| Control            | Manual           |
| Burner Model       | 5 Litre Superior |
| Flame length       | 85 cm            |
| Burning time up to | 6 hours          |
| Remote control     | Yes (add-on)     |
| Power Requirements | No               |
| Power Requirements | Yes              |
| Heat output (max)  | 6,2 kW           |
| Consumption        | 0.87 L/h         |

#### Size

|              |        |
|--------------|--------|
| Length/Width | 120 cm |
| Depth        | 40 cm  |
| Weight       | 35 kg  |

#### Appearance


|                 |       |
|-----------------|-------|
| Material        | Steel |
| Steel Thickness | 4 mm  |
| Colour          | Black |
| Glas included   | Yes   |

#### Type


|                             |                                       |
|-----------------------------|---------------------------------------|
| Product type                | 4-sided built-in bioethanol fireplace |
| Fuel                        | Bioethanol                            |
| Brand                       | Foco                                  |
| Flue/Chimney                | Not Required                          |
| Use                         | Indoor                                |
| Flame view                  | 44,1                                  |
| Warranty                    | 2 years                               |
| Recommended air change rate | 1                                     |




FLA 3+ 990 mm




FLA 3 990 mm



PrimeFire 1000



Automatic burner



Superior Manual

